

Safety Data Sheet

Brooks 32 GT

SECTION 1. IDENTIFICATION

Product Form Liquid Brine Solution

Substance Name Brooks 32 GT

Product Code Calcium

Other Means OfCalcium Chloride Brine, Dust Suppressant , Road Stabilizer, De-icing Brine,IdentificationConcrete Conditioner, Tire Ballast, Heavy Water, Industrial Calcium Brine, Drill

well Kill Fluid, CaCl₂

Recommended Use Industrial, Dust Control, De-icer, Tire Ballast, Oilfield Applications, Concrete

Conditioning, Agricultural

Restrictions on UseNot for Ingestion **Initial Supplier Identifier**NSC Minerals Ltd.

2241 Speers Ave Saskatoon, SK CANADA S7L 5X6

www.nscminerals.com Email: nsc@nscminerals.com

Emergency Telephone Call 1-306-934-6477,

Number Monday – Friday (8:00 AM – 4:00 PM CST)

SECTION 2. HAZARD IDENTIFICATION

Classification Clear to brownish liquid – Category 2, Serious eye damage.

(!)

Label Elements None
Signal Word (GHS-US) Warning

Hazard Statements (GHS-US) Causes Skin irritation / causes serious eye irritation.

Precautionary Statements Prevention – Wear eye, face protection.

Response – Wash thoroughly after handling.

Storage — Store in well ventilated space a safe distance from incompatible materials. Disposal — Dispose of water / residues in accordance with local authority requirements.

Other Hazards None Identified.

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Common Name / Synonyms Corrosion inhibited calcium chloride solution

INGREDIENT NAME	% (W/W)	CAS NO.	GHS-US Classification
Water	65-70	7732-18-5	None
Calcium Chloride	21-23	10043-52-4	Skin/Eye Irritation
Magnesium Chloride	3-4	007791-18-5	None
Sodium Chloride	3-4.5	7647-14-5	None
Potassium Chloride	<3	7447-40-7	None
Complex Carbohydrates	Variable	N/A	None known

English Page 1 of 6

SECTION 4. FIRST AID MEASURES

4.1 FIRST AID BY ROUTE OF EXPOSURE

General If medical advice is needed, have product container or label at hand.

Inhalation If inhaled, remove to fresh air and keep at rest in a position comfortable for

breathing. Give oxygen or artificial respiration if necessary. Obtain medical

attention if breathing difficulty persists.

Skin Contact Wash skin thoroughly with mild soap and water. Obtain medical attention if

irritation develops or persists.

Eye Contact Immediately rinse with water for a prolonged period (15 minutes) while holding

the eyelids wide open including upper and lower lids. Obtain medical attention

if pain and irritation develops or persists.

Ingestion Rinse mouth immediately. Do not induce vomiting. Administer water if patient

is conscious. Ingesting will usually cause purging of the stomach by vomiting. Seek medical attention if a large amount is swallowed. Get medical advice and

attention if you feel unwell.

4.2 Most Important Symptoms and effects, both acute and delayed.

Symptoms/injuries: Irritation to eyes, skin and respiratory tract.

Symptoms/injuries after inhalation: Overexposure may be irritating to the respiratory system.

Symptoms/injuries after skin contact: May cause skin irritation.

Symptoms/injuries after eye contact: May cause eye irritation.

Symptoms/injuries after ingestion: If a large quantity has been ingested : Abdominal pain; Diarrhea;

Nausea; Vomiting; Tingling in hands and feet; Weak pulse; Circulatory

disturbances

Chronic Symptoms: Prolonged inhalation of fumes may cause respiratory irritation.

4.3 Immediate medical attention and special treatment, if necessary

No additional information available.

SECTION 5. FIRE-FIGHTING MEASURE

5.1 EXTINGUISHING MEDIA

Suitable Extinguishing Media Not Flammable. Non-Combustible. Isolate area and use extinguishing media

appropriate for surrounding fire.

Unsuitable Extinguishing

Media

None known.

5.2 SPECIFIC HAZARDS ARISING FROM PRODUCT

Fire Hazard Not considered a fire hazard.

Explosion Hazard Not considered an explosion hazard.

Reactivity Stable at ambient temperature and under normal conditions of use.

5.3 ADVICE FOR FIREFIGHTERS

Special Fire-Fighting

Procedures

Keep Upwind. Under conditions of fire this material may produce Calcium oxides; Hydrogen chloride gas. Containers close to fire should be removed immediately

or cooled with water

Protection during fire-

fighting

Wear full fire-fighting turn out gear (full Bunker gear) and respiratory protection;

self-contained breathing apparatus (SCBA).

Other Information Run-off from fire firefighting should not be allowed to enter drains, water courses

or the soil

English Page 2 of 6

SECTION 6. ACCIDENTAL RELEASE MEASURE

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

General Measures Do not breathe fumes from fires or vapors from decomposition. Spilled material may

cause slippery surfaces, potential for falls.

Protective Equipment for Emergency & Non-Emergency Personnel Wear suitable protective clothing, gloves and eye/face protection including tight fitting goggles in areas of high fume concentration. Wear NIOSH approved respiratory protective equipment when workplace conditions warrant use of respirator.

Small Spills Isolate area, eliminate source and contain spilled material if possible, recover free

liquid with absorbent mop or other appropriate means (sand) and collect for disposal.

Dilute residues with water, recover liquid with absorbent. Repeat as necessary

Large Spills Isolate area, eliminate source and contain with impermeable or absorbent barrier.

Recover free liquid and treat residues as for small spills. Prevent spills from entering

sewers or waterways.

6.2 ENVIRONMENTAL PRECAUTIONS

If spill could potentially enter any waterway, including intermittent dry creeks or in case of accident or road spill notify CHEMTREC at 800-424-9300 (in USA) or CANUTEC at 613-996-6666 (in Canada). In other countries call CHEMTREC at (International code) +1-703-527-3887.

6.3 METHODS AND MATERIALS FOR CONTAINMENT AND CLEANING UP

For Containment Contain and collect all liquid. Do not allow into soils, ditches, drains or water

courses or dispose of where ground or surface waters may be affected.

Methods for Cleaning UpRecover the product by vacuuming or pumping to suitable containers. If

uncontaminated, recover and reuse as product.

6.4 REFERENCE TO OTHER SECTIONS

No additional information available.

SECTION 7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Additional Hazards when

Processing

When heated, material emits irritating fumes.

Precautions for Safe Handling Handle in accordance with good industrial hygiene and safety procedures. Avoid

contact with skin and eyes. Do not eat, drink or smoke when using this product.

Always wash hands after handling the product.

Hygiene Measures Emergency eye wash fountains should be available in the immediate vicinity of

any potential exposure.

7.2 CONDITIONS FOR SAFE STORAGE

Storage Conditions: Store in a secure, impermeable corrosion resistant container. Keep containers

tightly closed in a dry, cool, and well-ventilated place.

Packaging materials to be

avoided

Metal

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

8.1 CONTROL PARAMETERS

Use local exhaust ventilation if in enclosed spaces.

Occupational Exposure

CaCl₂ airborne exposure:

Guidelines

Time-Weight Average (TWA): 5mg/m³

English Page 3 of 6

Short-Term Exposure Limited (STEL): None

• Ceiling Limited (C): None

8.2 EXPOSURE CONTROLS

Appropriate engineering

controls:

Ensure adequate ventilation (especially in confined areas), eye wash stations and

shower recommended.

Personal protective

equipment:

Gloves. Safety glasses. Protective clothing.

Gloves. Surety Blasses. Froteetive clothin

Hand Protection: Impermeable protective gloves.

Eye Protection: For mist exposure and general handling wear chemical safety glasses. Contact

lenses should not be worn.

Skin and Body Protection: Emergency eye wash fountains and safety showers should be available in the

immediate vicinity of any potential exposure. Wear suitable protective clothing. Wash contaminated clothing before reuse. Handle in accordance with good

industrial hygiene and safety practice. Wash clothing frequently.

Footwear: Normal

Respiratory Protection: Use NIOSH-approved air-purifying or supplied-air respirator where airborne

concentrations of dust are expected to exceed exposure limits.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 INFORMATION ON BASIC PHYSICAL AND CHEMICAL PROPERTIES

Physical State Liquid

Color Clear to brownish
Odor Slight acrid odor
Odor threshold No data available

pH 1.5-4.0

Relative Evaporation Rate

(butylacetate=1)

No data available

Melting Point Not applicable

Freezing Point -50°C

Boiling Point 230-250°F (110-121°C)

Flash Point

Self-Ignition temperature

Decomposition temperature

No date available

No date available

Flammability (solid, gas)

Not flammable

Vapor Pressure 9-15mm Hg@25ºC (77ºF)

Relative Vapor Density at

20ºC

No data available

Relative Density 1.2-1.32 @ 15.6°C

Density No data available

Solubility 26%

Log PowNo data availableViscosity, kinematicNo data availableViscosity, dynamicNo data available

English Page 4 of 6

None known **Explosive properties** Oxidizing properties None known **Explosive limits** Not explosive

9.2 OTHER INFORMATION

VOC Content No Data Available No Data Available **Bulk Density**

SECTION 10. STABILITY AND REACTIVITY

Stable at ambient temperature and under normal conditions of use. Reactivity

Chemical Stability Stable at standard temperature and pressure.

Possibility of Hazardous

Reactions

Hazardous polymerization will not occur.

Conditions to Avoid None known

Avoid contact with bromide trifluoride, methyl vinyl ether, 2-furan percarbolic Incompatible Materials

acid, zinc, strong acids, bases, alkalis (organic).

Hazardous Decomposition

Products

Contact with zinc forms flammable hydrogen gas. Formed under fire conditions –

calcium oxide/hydrogen chloride gas.

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity Not Classified

Serious Eye Damage /

Irritation

Can cause serious eye irritation

STOT (Specific Target

Organ Toxicity) - Single

Exposure

Not Classified

STOT (Specific Target

Organ Toxicity) -

Not Classified

Repeated Exposure **Aspiration Hazard**

Can cause irritation Respiratory and/or Skin

Sensitization

Can cause irritation

Reproductive Toxicity Not Classified Not Classified Germ Cell Mutagenicity Carcinogenicity Not Classified

Routes of exposure Absorption through skin and eye

SECTION 12. ECOLOGICAL INFORMATION

This product is practically harmless to aquatic organisms on an acute basis. However, Eco toxicity

this does not exclude the possibility that large or frequent spills can have a harmful or

damaging effect on the environment and should be cleaned up immediately.

Environmental Fate No Data Available

LC₅₀ 96hr value > 100 mg/l Toxicity

Degradation Products Inorganic material not subject to bio degradation

SECTION 13. DISPOSAL CONSIDERATIONS

English Page 5 of 6

Sewage Disposal

Recommendations

Prevent large or frequent spills from entering sewers and waterways.

Waste Disposal Place in an appropriate container and dispose of the contaminated material at a

Recommendations licensed site.

Additional Information Dispose of waste material in accordance with all local, regional, national, and

international regulations.

SECTION 14. TRANSPORT INFORMATION

In accordance with DOT / TDG / ADR / RID / ADNR / IMDG / ICAO / IATA

UN Number Not Regulated
Proper Shipping Name Not Regulated
Hazard Class(es) Not Regulated
Packing Group Not Regulated

SECTION 15. REGULATORY INFORMATION

15.1 US FEDERAL REGULATIONS

Calcium Chloride (10043-52-4) – Ingredients listed on the United States TSCA (Toxic Substances Control Act) Inventory

15.2 CANADIAN REGULATIONS

Calcium Chloride (10043-52-4) – Ingredients listed on the Canadian DSL (Domestic Substances List) Inventory

WHMIS Classification 1988, D2B Toxic Materials



SECTION 16. OTHER INFORMATION

NFPA Health Hazard 2 – Exposure could cause irritation.

NFPA Fire Hazard 0 – Materials that will no burn.

NFPA Reactivity 0 – Normally stable, even under fire exposure conditions, and

are not reactive with water.

Date of Latest Revision December 10, 2020

Prepared by NSC Minerals Ltd.



The data contained herein is believed to be accurate and reliable, but no expressed or implied warranty is made with regard to the accuracy of such data or its sustainability for a given situation. Such data relates only to the specific product described and not to such product in combination with any other product. We disclaim all liability for any actions taken or forgone on reliance upon such data. Users should make their own investigation to determine the suitability of the information for the particular purposes.

English Page 6 of 6