



Safety Data Sheet

SnowSlicer®

SECTION 1. IDENTIFICATION

Product Identifier SnowSlicer®

Other Means Of Identification Sodium Chloride with Proprietary Additives

Recommended Use De-Icing

Restrictions on Use Not for Ingestion

Initial Supplier Identifier NSC Minerals Ltd.
2241 Speers Ave
Saskatoon, SK
CANADA
S7L 5X6
www.nscminerals.com
Email: nsc@nscminerals.com

Emergency Telephone Number 1-306-934-6477 / 1-888-668-7258

SECTION 2. HAZARD IDENTIFICATION

EMERGENCY OVERVIEW

CAUTION! CONTACT WITH SKIN AND EYES MAY CAUSE IRRITATION. MAY CAUSE IRRITATION TO GASTROINTESTINAL TRACK IF SWALLOWED.

Potential Health Effects: This product is an irritant case of skin contact, of eye contact, of ingestion and of inhalation.

Routes of Entry Skin, Eyes, Inhalation, Ingestion

Target Organs None Known

Inhalation Inhalation of dust may cause irritation.

Ingestion Ingestion of this product may cause irritation of the gastrointestinal tract.

Skin Contact Prolonged or repeated exposure to this product may cause irritation.

Eye Contact Contact with eyes will cause irritation with pain, redness and tearing.

Chronic Exposure None Known

Aggravation of Pre-Existing Conditions Persons with pre-existing skin disorders may be more susceptible to the effects of the substance.

Other Hazards

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

Synonyms Sodium Chloride with Proprietary Additives

INGREDIENT NAME	% (W/W)	CAS NO.
Sodium Chloride	> 97%	7647-14-5

Chloride Solution with Proprietary Additive	< 3%	Proprietary
Colorant (Violet & Red)	< 1%	Proprietary

SECTION 4. FIRST AID MEASURES

Inhalation	If breathing is difficult remove victim to fresh air and provide oxygen if necessary. If not breathing, give artificial respiration, preferably mouth to mouth. GET MEDICAL ATTENTION IMMEDIATELY.
Skin Contact	Wash exposed skin with plenty of soap and water. GET MEDICAL ATTENTION IF IRRITATION PERSISTS.
Eye Contact	If contact with eyes, remove contact lenses if worn and immediately flush eyes with plenty of water for at least 15 minutes lifting upper and lower eyelids occasionally. GET MEDICAL ATTENTION IF IRRITATION OR BLURRED VISION OCCURS.
Ingestion	Induce vomiting as directed by medical personnel. Never give anything by mouth to an unconscious person. GET MEDICAL ATTENTION IMMEDIATELY.

NOTE TO PHYSICIANS Treat symptomatically and supportively

SECTION 5. FIRE-FIGHTING MEASURE

Flammable Properties	Not Flammable
Auto Ignition Temperature	Not Applicable
Flammable Limits In Air, % by Volume	LEL: NO DATA AVAILABLE %; UEL: NO DATA AVAILABLE %
Extinguishing Media	Water spray, dry chemical, alcohol foam, or carbon dioxide
Fire & Explosion Hazards	None Known
Special Information	In the event of a fire, wear full protective clothing and NIOSH-approved self-contained breathing apparatus with full facepiece operated in the pressure demand or other positive pressure mode.

SECTION 6. ACCIDENTAL RELEASE MEASURE

6.1 PERSONAL PRECAUTIONS, PROTECTIVE EQUIPMENT AND EMERGENCY PROCEDURES

General Measures	Do not breathe fumes from fires or vapors from decomposition
Protective Equipment for Emergency & Non-Emergency Personnel	Wear suitable protective clothing, gloves and eye/face protection including tight fitting goggles in areas of high dust concentration. Wear NIOSH approved respiratory protective equipment when workplace conditions warrant use of respirator.
Emergency Procedures	If possible, stop flow of product. Contain and collect as any solid. Ventilate area.

6.2 ENVIRONMENTAL PRECAUTIONS

If spill could potentially enter any waterway, including intermittent dry creeks, contact the U.S. COAST GUARD NATIONAL RESPONSE CENTER at 800-424-8802. In case of accident or road spill notify CHEMTREC at 800-424-9300 (in USA) or CANUTEC at 613-996-6666 (in Canada). In other countries call CHEMTREC at (International code) +1-703-527-3887.

6.3 METHODS AND MATERIAL FOR CONTAINMENT AND CLEANING-UP

For Containment	Contain and collect as any solid. Do not allow into drains or water courses or dispose of where ground or surface waters may be affected.
Methods for Cleaning Up	Recover the product by vacuuming, shovelling or sweeping. Avoid generation of dust during clean-up of spills. If uncontaminated, recover and reuse as product.

6.4 REFERENCE TO OTHER SECTIONS

No additional information available.

SECTION 7. HANDLING AND STORAGE

7.1 PRECAUTIONS FOR SAFE HANDLING

Additional Hazards when processed:	When heated, material emits irritating fumes.
Precautions for safe handling:	Handle in accordance with good industrial hygiene and safety procedures. Avoid contact with skin and eyes. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.
Hygiene Measures:	Emergency eye wash fountains should be available in the immediate vicinity of any potential exposure.

7.2 CONDITIONS FOR SAFE STORAGE

Storage Conditions:	Keep away from incompatibles such as oxidizing agents, acids.
Special Rules on Packaging:	Avoid contact with aluminum or carbon steel to minimize corrosion.

SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Appropriate engineering controls:	Ensure adequate ventilation (especially in confined areas), eye wash stations.
Personal protective equipment:	Gloves. Safety glasses. Protective clothing.
Hand Protection:	Impermeable protective gloves.
Eye Protection:	Protective goggles and safety glasses
Skin and Body Protection:	Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Wear suitable protective clothing. Wash contaminated clothing before reuse. Handle in accordance with good industrial hygiene and safety practice. Wash clothing frequently.
Footwear:	Normal
Respiratory Protection:	Use NIOSH-approved air-purifying or supplied-air respirator where airborne concentrations of dust are expected to exceed exposure limits.



SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State	Solid
Appearance	Slightly Red Crystalline coarse powder
Odour	Slight
Odour Threshold	No Data Available
pH	7 (Neutral)
Relative Evaporation Rate (Butylacetate=1)	No Data Available
Melting Point	1473.8°F (801°C)
Freezing Point	No Data Available
Boiling Point	2575°F (1413°C)
Flash Point	No Data Available
Self-Ignition temperature:	Not Flammable
Decomposition Temperature:	No Data Available

Flammability (solid/gas):	Not Flammable
Vapour Pressure:	No Data Available
Relative Vapor Density at 20°C:	No Data Available
Relative Density:	2.165
Density:	No Data Available
Solubility:	Soluble
Log Pow or Log Kow	No Data Available
Viscosity	No Data Available
Explosive Properties	None Known
Oxidizing Properties	None Known
Explosive Limits	Not Explosive

9.2 OTHER INFORMATION

VOC Content	No Data Available
Molecular Formula	NaCl

SECTION 10. STABILITY AND REACTIVITY

Chemical Stability	Stable at standard temperature and pressure.
Conditions to Avoid	Incompatible materials, high temperatures.
Incompatible With Other Materials	Reactive with oxidizing agents, metals, acids.
Hazardous Decomposition Products	When heated to decomposition it emits toxic fumes.
Hazardous Polymerization	Will not occur

SECTION 11. TOXICOLOGICAL INFORMATION

Acute Toxicity Not Classified

Sodium Chloride:

WARNING: THE LC50 VALUES HEREUNDER ARE ESTIMATED ON THE BASIS OF A 4-HOUR EXPOSURE. Acute oral toxicity (LD50): 3000 mg/kg [Rat.]. Acute dermal toxicity (LD50): >10000 mg/kg [Rabbit]. Acute toxicity of the dust (LC50): >42000 mg/m³ 1 hours [Rat].

Other Ingredients:

No LD50 Data Available

Skin Corrosion / Irritation Mild

Serious Eye Damage / Irritation Mild - Salt dust can cause eye irritation.

STOT (Specific Target Organ Toxicity) - Single Exposure Not Classified

STOT (Specific Target Organ Toxicity) - Repeated Exposure Not Classified

Aspiration Hazard Not Classified

Respiratory and/or Skin Sensitization Not Classified

Reproductive Toxicity Not Classified

Germ Cell Mutagenicity Not Classified

Carcinogenicity Not Classified

Target Organ Effects Kidneys, Eyes, Skin, Respiratory system.

SECTION 12. ECOLOGICAL INFORMATION

Environmental Toxicity The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Environmental Fate Possibly hazardous short term degradation products are not likely. However, long term degradation products may arise.

SECTION 13. DISPOSAL CONSIDERATIONS

Sewage Disposal Recommendations This material may be hazardous to the aquatic environment. Keep out of sewers and waterways.

Waste Disposal Recommendations Place in an appropriate container and dispose of the contaminated material at a licensed site.

Additional Information Dispose of waste material in accordance with all local, regional, national, and international regulations.

SECTION 14. TRANSPORT INFORMATION

In accordance with DOT / TDG / ADR / RID / ADNR / IMDG / ICAO / IATA

UN number - No dangerous good in terms of transport regulations.

UN proper shipping name - Not applicable

Overland Transport No additional Information available.

Transport by Sea No Additional Information available.

Air Transport No Additional Information available.

SECTION 15. REGULATORY INFORMATION**15.1 US FEDERAL & STATE So REGULATIONS**

Sodium Chloride (7647-14-5) – Listed on the United States TSCA (Toxic Substances Control Act) Inventory

15.2 US STATE REGULATIONS

The following states have an OSH program approved by OSHA. If you are located in any of these states you may be under state jurisdiction rather than federal jurisdiction and your state may have more stringent requirements than OSHA. You should consult your state regulations to ensure compliance.

Alaska	Indiana	Nevada	Puerto Rico	Virginia
Arizona	Iowa	New Mexico	South Carolina	Washington
California	Kentucky	*New Jersey	Tennessee	Wyoming
*Connecticut	Maryland	*New York	Utah	
Hawaii	Michigan	North Carolina	Vermont	
*Illinois	Minnesota	Oregon	*Virgin Islands	


*The state plans in these states apply only to public sector employees. In these states private sector employers are subject to USOL – OSHA jurisdiction. All other state plans apply to both public and private sector employers.

Sodium Chloride (7647-14-5) – U.S. Texas – Effects Screening Levels – Short Term & Long Term

SECTION 16. OTHER INFORMATION**Label Requirements:**

CAUTION! CONTACT WITH SKIN AND EYES MAY CAUSE IRRITATION. MAY CAUSE IRRITATION TO GASTROINTESTINAL TRACT IF SWALLOWED.

NFPA Health Hazard	1 – Exposure could cause irritation but only minor residual injury even if not treatment is given.
NFPA Fire Hazard	0
NFPA Reactivity	0



Date of Latest Revision	June 6, 2019
Prepared by	NSC Minerals Ltd

The data contained herein is believed to be accurate and reliable, but no expressed or implied warranty is made with regard to the accuracy of such data or its sustainability for a given situation. Such data relates only to the specific product described and not to such product in combination with any other product. We disclaim all liability for any actions taken or forgone on reliance upon such data. Users should make their own investigation to determine the suitability of the information for the particular purposes.